

Annual Review of Public Health

Declining Life Expectancy in the United States: Missing the Trees for the Forest

Sam Harper,^{1,2,3} Corinne A. Riddell,⁴
and Nicholas B. King^{1,2,5}

¹Department of Epidemiology, Biostatistics and Occupational Health, McGill University, Montreal, Quebec H3A 1A2, Canada; email: sam.harper@mcgill.ca, nicholas.king@mcgill.ca

²Institute for Health and Social Policy, McGill University, Montreal, Quebec H3A 1A2, Canada

³Department of Public Health, Erasmus Medical Center, 3015 GD Rotterdam, The Netherlands

⁴Division of Epidemiology and Biostatistics, School of Public Health, University of California, Berkeley, California 94720, USA; email: c.riddell@berkeley.edu

⁵Biomedical Ethics Unit, McGill University, Montreal, Quebec H3A 1X1, Canada

Annu. Rev. Public Health 2021. 42:381–403

First published as a Review in Advance on December 16, 2020

The *Annual Review of Public Health* is online at publhealth.annualreviews.org

<https://doi.org/10.1146/annurev-publhealth-082619-104231>

Copyright © 2021 by Annual Reviews. This work is licensed under a Creative Commons Attribution 4.0 International License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See credit lines of images or other third-party material in this article for license information.

**ANNUAL
REVIEWS CONNECT**

www.annualreviews.org

- Download figures
- Navigate cited references
- Keyword search
- Explore related articles
- Share via email or social media

Keywords

life expectancy, opioids, cardiovascular diseases, suicide, homicide, health inequalities

Abstract

In recent years, life expectancy in the United States has stagnated, followed by three consecutive years of decline. The decline is small in absolute terms but is unprecedented and has generated considerable research interest and theorizing about potential causes. Recent trends show that the decline has affected nearly all race/ethnic and gender groups, and the proximate causes of the decline are increases in opioid overdose deaths, suicide, homicide, and Alzheimer’s disease. A slowdown in the long-term decline in mortality from cardiovascular diseases has also prevented life expectancy from improving further. Although a popular explanation for the decline is the cumulative decline in living standards across generations, recent trends suggest that distinct mechanisms for specific causes of death are more plausible explanations. Interventions to stem the increase in overdose deaths, reduce access to mechanisms that contribute to violent deaths, and decrease cardiovascular risk over the life course are urgently needed to improve mortality in the United States.

1. INTRODUCTION

The United States achieved remarkable gains in life expectancy over the past century, but in 2015 life expectancy at birth declined for the first time in more than two decades. Subsequent declines in 2016 and 2017 led many to wonder whether health in the United States was deteriorating on a large scale and, if so, what might be the cause. The magnitude of the decline was small. Life expectancy at birth declined from 78.9 years in 2014 to 78.6 years in 2017, recovering in 2018 to 78.7. Given the ongoing mortality crisis related to opioid overdoses, these declines prompted more detailed investigations of recent US mortality trends (28, 41, 51, 62, 91, 153). In this article, we describe recent changes in US life expectancy and mortality, explore the hypothesized causes of these changes, and discuss the potential for interventions to alter their trajectories.

2. THE UNITED STATES IN AN INTERNATIONAL CONTEXT

The United States lags behind other rich countries in life expectancy, for both women and men (**Supplemental Figure 1**), dropping from the sixteenth highest among 30 Organisation for Economic Co-operation and Development (OECD) countries in 1970 to 23rd in 2017 (100). Year-to-year changes in life expectancy at birth (**Supplemental Figure 2**) demonstrate that the decrease in US life expectancy in 2015 was not a sharp turnaround, but rather part of a trend of worsening mortality that began in the late 2000s.

Researchers have not found a single overarching explanation for the relatively low ranking of US life expectancy relative to other OECD countries (16, 101). Two dimensions largely agreed upon are that the US deficit applies to nearly the entire age distribution and that the poor international ranking of the United States is not a consequence of larger subgroup inequalities within the United States; restrictions to non-Hispanic whites also show poor performance (101). At ages 50 and older, where most mortality occurs, the primary reasons for comparatively worse life expectancy gains in the United States since 1980 are diseases affected by smoking (lung cancer, stroke, and respiratory diseases), particularly among women, as well as deaths due to Alzheimer's disease and related conditions (16). Although the epidemic of cardiovascular disease (CVD) came earlier in the United States (93, 141), declines in CVD were as strong in the 1980s in the United States as they were in other countries and do not explain the country's deteriorating international ranking. Above age 75, populations in the United States perform well, but in younger populations the United States fares particularly poorly, notably for men younger than 50 (60, 101). The United States generally has higher rates of infant mortality, motor vehicle crashes, HIV, and violent deaths at younger ages compared with other rich countries.

Although the gap in life expectancy between the United States and other high-income countries has grown since 2010 (62), slowdowns in the pace of life expectancy increase have also been seen in other countries (35). In particular, Western European countries have generally shown smaller gains than Eastern European countries in recent years. Life expectancy in Canada has also recently slowed and failed to increase for the first time in four decades between 2016 and 2017 (142). Stagnating life expectancy is thus not limited exclusively to the United States.

3. NARRATIVES OF CHANGING US LIFE EXPECTANCY

The literature around the decline in US life expectancy has been dominated by the "deaths of despair" narrative first proposed by Case & Deaton (10) in 2015, though the tagline didn't appear until 2017 (11; see the sidebar titled Deaths of Despair). While many of the empirical claims in the authors' work have been critiqued and revised (11, 40, 88, 92, 128), the narrative has persisted and gained considerable traction in the media and policy arenas. Case & Deaton argue that

DEATHS OF DESPAIR

The phrase “deaths of despair” and the implied causal model that accompanies it have achieved unusual and increasing prominence in scholarly literature and the media. A Google Scholar search of the term returns more than 1,500 results, more than 1,000 since 2019; “despair” has been linked to housing policy, voting behavior, daylight savings time, and, most recently, COVID-19. Nevertheless, “despair” remains a vague term, rarely defined and even less frequently measured. Like “stress” and “social capital” in earlier generations, it is the latest manifestation of a perennial search for a link connecting social, psychological, and biological factors with health outcomes. Unlike those terms, “despair” emerged as an explanation with particular political and racial connotations, that is, as a way of attributing poor health outcomes among white Americans in the midst of an unprecedented epidemic of drug-related overdoses to stagnating economic conditions rather than to individual behaviors. It is worth noting that scholars and the media have historically been less generous with nonwhite populations: Poor health outcomes and persistent inequalities have consistently been attributed to individual behaviors, including drug and alcohol use, rather than to economic dislocation and systematic racial discrimination. Researchers should tread carefully in continuing to embrace this term.

deteriorating life expectancy is driven by premature mortality from suicide, drug poisoning, and alcohol-related illnesses among middle-aged non-Hispanic whites with low education, particularly in areas that have suffered economic stagnation or decline during the preceding two decades. Distal economic conditions and proximal mortality causes are linked via the construct of “despair,” which they consider to be a “convenient label, indicating the link with unhappiness, the link with mental and behavioral health, and the lack of any infectious agent” (12, p. 40). In later work, Case & Deaton link despair to apparent increases in pain, social isolation, and family instability during this period, though it remains an ill-defined psychosocial mechanism.

Narratives matter because they can synthesize and simplify complex phenomena into a single cause-and-effect story. They identify heroes and villains, emphasize particular causes and populations, set the agenda for interventions, and minimize alternative explanations and solutions. While they may be evidence-based, their traction derives from weaving what evidence is available into a seamless yet flexible story with moral, political, and cultural salience (118). Since its initial appearance, the deaths of despair narrative has developed into a powerful indictment of structural factors affecting the white working class in the United States (12). This narrative has been seized on by commenters across the political spectrum, emphasizing everything from declining church attendance to capitalism itself as component causes. The rise and popularity of the deaths of despair narrative have provoked critiques and alternative accounts of changes in life expectancy (88, 131), but to have explanatory power, any narrative about declining US life expectancy should demonstrate plausible links to proximate risk factors and must be reconciled with mortality trends across different population groups and geographic areas.

4. WHAT HAPPENED? RECENT TRENDS IN MORTALITY

The national picture of life expectancy for the total population hides important heterogeneity. **Figure 1** shows life expectancy at birth from 1999 to 2018 by gender and race/ethnicity (with the exception of American Indians and Alaska Natives, for whom accurate life expectancy calculations are not generally available; see the **Supplemental Material**). These trends show a slowdown in life expectancy gains occurring around 2010 among all groups, both men and women, but also large and persistent inequalities by gender and race (see **Supplemental Table 1** for estimates).

Supplemental Material >




Figure 1

Life expectancy at birth in the United States, by gender and race/ethnicity, 1999–2018. Author’s calculations of data from the Centers for Disease Control and Prevention (CDC) WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/4s2rz/>. Code from <https://osf.io/hz864/>.

4.1. Race and Ethnicity

Figure 1 illustrates the magnitude of race/ethnic differences in US mortality. These differences are large, much larger, in fact, than the recent 0.3-year decrease in overall life expectancy. Although recent attention has focused on rising mortality among non-Hispanic whites, death rates for non-Hispanic blacks at younger ages are still nearly double those of their white counterparts, reflecting persistent inequalities (6, 127). However, recent trends also illustrate that race/ethnic inequalities are not static. For example, the large gap in life expectancy between non-Hispanic black and non-Hispanic white men has declined steadily since 1999, a continuation of positive trends evident since the mid-1990s (52, 55, 84). By and large, Hispanic men and women have maintained their mortality advantage, though recent trends for younger Hispanics are not optimistic.

Although we do not present estimates of life expectancy for the American Indian/Alaska Native population because of issues of misclassification on death certificates (2), inequalities between American Indian and Alaska Natives and the rest of the US population are large (68, 79) and are likely growing after a period of decline in the 1970s and 1980s. Mortality rates began to rise among American Indian and Alaska Natives in the late 1980s (79), and recent estimates suggest that the difference in life expectancy at birth is nearly 6 years (64).

4.2. Gender

Figure 1 also shows important differences in life expectancy by gender. The gap between US men and women had been shrinking for most race/ethnic groups over the course of the twentieth and early twenty-first centuries and has provoked some discussion about why mortality trends for women have been lagging (17). Several studies, using primarily counties as the unit of analysis, reported stagnating or declining life expectancy for women during the 1990s and 2000s (32, 73, 149). Most of these analyses cite changes in migration or health behaviors as potential mechanisms, but few were designed to provide inference about causes.

Since about 2010, declines in the gender gap in life expectancy have stalled or reversed (see **Supplemental Figure 3**). This reversal is more pronounced at younger ages and especially among non-Hispanic blacks (even at older ages). There has been little analysis of this reversal, but faster increases in recent opioid overdose deaths among men seem a likely explanation.

4.3. Age

Overall trends also hide important heterogeneity by age. **Supplemental Figure 4** shows recent trends in life expectancy at age 25 and at age 65 by race/ethnicity and gender. Trends for life expectancy at age 25 largely mirror those at birth, suggesting that the overall picture is not a consequence of adverse mortality changes at ages below 25. At age 65, we see consistent increases for non-Hispanic Asian/Pacific Islanders and Hispanics, but we also see a notable stagnation of gains among non-Hispanic whites and, to a lesser extent, non-Hispanic blacks.

To provide a better sense of age-related mortality changes, **Figure 2** shows age-specific mortality trends for broad age groups by race/ethnicity and gender (**Supplemental Figures 5** and **6** also show trends for single years of age for women and men aged 25–64, respectively). Mortality




Figure 2

Age-specific mortality rates in the United States, by gender and race/ethnicity, 1999–2018. Data from CDC WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/y4fzx/> and <https://osf.io/wsdvb/>. Code from <https://osf.io/6kj5h/>.




Figure 3

Age groups contributing to the change in life expectancy at birth in the United States between 2014 and 2017, by gender and race/ethnicity. Dark shading indicates age groups contributing a decline; light shading indicates age groups contributing an increase. Authors' calculations of data from CDC WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/tw3ge/> and <https://osf.io/nb68q/>. Code from <https://osf.io/e39y2/>, <https://osf.io/knxd5/>.

rates increased among all race/ethnic groups ages 15–44 in the last decade, but among those ages 45–64, recent race/ethnic patterns have diverged: For Hispanics, death rates have been relatively steady since 2010, whereas rates among non-Hispanic blacks and non-Hispanic whites have increased (20). Death rates for those aged 65 and over have generally continued to decline in the past two decades, but the pace of decline has slowed in recent years.

It is challenging to understand how these differing mortality trends contribute to life expectancy changes. Toward that end, in **Figure 3** we present results of a simple decomposition (3) of how different age groups contributed to the decline in life expectancy between 2014 and 2017 (see the **Supplemental Material** for details).

All race/ethnic groups except Hispanic women showed declines in life expectancy at birth between 2014 and 2017, but the decrease was larger for men, particularly non-Hispanic black men, who lost nearly 0.7 years of life expectancy. Virtually all of the decline in life expectancy at birth among men was the result of adverse mortality changes among those 15–44 years of age. This finding was true to a lesser extent for women. The middle age groups (ages 45–64) that have been much of the focus of the deaths of despair narrative made little contribution to the decline in life expectancy at birth for any race/ethnic group. Thus, mortality changes among younger populations have likely driven the recent decline in life expectancy at birth, despite having much lower absolute mortality rates. Analysis of the period between 2010 and 2018 (see **Supplemental**

Supplemental Material >

Figure 7) reveals similar age patterning, though all groups had increases in life expectancy, with the exception of a decline of 0.1 years for non-Hispanic white men.

4.4. Socioeconomic Position

An important part of the deaths of despair narrative has been rising mortality and declining life expectancy for low-educated Americans, particularly middle-aged non-Hispanic whites with less than a university education (12). However, there are long-standing challenges to measuring socioeconomic inequalities in mortality in the United States (6, 77), including numerator–denominator bias (120) and selection bias due to the changing composition of groups with differing levels of advantage (27). These methodological challenges have led some researchers to utilize area-based measures of socioeconomic position in relation to mortality, often measured at the county level. These studies largely show increasing inequalities over time (78, 136, 137) but considerable heterogeneity across age, race, and place (19).

At the individual level, past studies have reported large and generally increasing mortality inequality by education and income (14, 29, 48, 107, 112). Meara et al. (90) reported widening life expectancy gaps by education between the early 1980s and 2000 and attributed much of the widening gap to differences in obesity and tobacco consumption. Geronimus et al. (41) also reported that educational differences in years of life lost widened between 1990 and 2001 but emphasized different factors: Although opioids, suicides, and alcohol accounted for one-third of the widening socioeconomic gap for non-Hispanic whites, it played little or no role among non-Hispanic blacks.

Generally speaking, analyses that have relied strictly on death certificates, education credentials, and census denominators have reported large and growing gaps in life expectancy for non-Hispanic men and women (90, 106, 125, 133). Other studies that have either used linked data (58, 94, 95, 147) or accounted for the changing composition of education groups over time (7, 43, 58) report increasing educational differentials but, importantly, do not report increasing mortality (or decreasing life expectancy) for any group, apart from non-Hispanic white women with less than a high school education. The majority of these studies have excluded the most recent period of worsening national life expectancy; however, a recent report using linked data found evidence that, during the period of stagnating and decreasing life expectancy from 2010 to 2017, educational differences increased among non-Hispanic blacks and whites. These widening inequalities occurred largely because life expectancy increased only among those with a university degree or higher (126).

Overall, it seems clear that there are large and important socioeconomic inequalities in mortality, particularly by education. However, evidence on whether absolute mortality rates are actually increasing among the lower educated, and the extent to which this increase may reflect misclassification or compositional changes, remains mixed.

4.5. Geography

Differences in life expectancy by geography at all levels (regions, states, or counties) have widened in recent decades.

4.5.1. Regions and states. State-level differences in life expectancy at birth have been increasing since the early 1980s (153), due largely to strong regional mortality rate trends and particularly slower mortality improvements in the US South through the mid-2000s (33, 121, 148). Smoking-related diseases and cancers contribute to increasing regional differences at older ages, but overdose deaths also play a role (148). Since the late 2000s, state-level patterning has

shifted as the Northeast and East North Central regions were hit hardest by opioid overdoses (71, 153). Yet regional trends also mask important state variations, most of which appear tied to the degree of penetration of the opioid epidemic.

4.5.2. County or urban versus rural. Studies of county-level trends (30, 31, 121) have generally found increasing mortality inequalities over time, largely from differential declines in CVD (116, 146), which are correlated with county-level markers of demographic, socioeconomic, and behavioral risk factors (31). Rural–urban divides in mortality trajectories are also widening (138). Large cities have made impressive life expectancy gains in recent years, though mortality trends still diverge considerably among large US cities (34). Recent years have seen greater attention focused on health in rural areas (39, 97), largely as a consequence of reports of high rates of opioid overdose deaths. **Supplemental Figure 8** shows trends in age-adjusted mortality rates from 1969 to 2016 across the rural–urban gradient. A substantial mortality gap between metropolitan and nonmetropolitan areas has emerged since the early 1980s.

More rural areas have higher rates of suicides, drug overdoses, and alcohol-related deaths than do more urban areas (65, 108), but these causes do not account for the large and growing gap in life expectancy between urban and rural areas (138). The largest contributors to differences in rural–urban life expectancy at birth are CVD and injuries (see **Supplemental Figure 9**), and it is important to note that rural–urban differences in motor vehicle crash death rates are much larger than for drug poisoning. Rural areas were notably hard hit by deaths from prescription painkillers (71, 108) but now have lower overdose mortality rates than do urban areas (see **Supplemental Figure 10**). The current rural excess in cardiovascular mortality reflects slower and later declines in CVD in rural areas (152), and recent studies show this gap continues to widen (18).

4.5.3. Subgroup inequalities by geography. A number of papers have analyzed trends in mortality inequalities by geography over time (14, 54, 69, 96, 115), most of which showcase even greater heterogeneity that is lost in national trends. For example, states in the Northeast had nearly eliminated the black–white life expectancy gap by 2013, whereas Illinois, Wisconsin, Michigan, and the District of Columbia showed much less progress (117). Many states in the South now have smaller black–white differences in life expectancy than do states in the Midwest, despite higher overall mortality rates. The age- and cause-specific contributions to changes in the black–white life expectancy gap also show considerable variations by state (115), but more detailed analysis of specific state trends is likely to provide new insights (69). Less work has been done on geographic variations in socioeconomic differences in mortality, but evidence indicates considerable heterogeneity in the magnitude of changes in the socioeconomic gradient in mortality, driven mostly by mortality variations among the disadvantaged (14, 96).

4.6. Causes of Death

Cause-specific mortality can help to illuminate what is driving temporal trends in life expectancy. Below we provide an overview of some relevant causes, but more exhaustive reviews exist (153).

4.6.1. Unintentional injuries. Unintentional injuries include transportation-related deaths and deaths such as drug overdoses, falls, and drownings. There have been astounding increases (**Figure 4**) in deaths from unintentional poisoning (primarily overdoses) in recent years (57, 66, 67), whereas transportation-related deaths have continued to decline (5). The largest increases in recent years have been among those aged 25–54, and although earlier in the twenty-first century rates were higher among non-Hispanic whites than among other groups (apart from American




Figure 4

Trends in age-adjusted unintentional poisoning death rates, 1999–2018, by gender and race/ethnicity (ICD-10 codes X40–X49). Authors’ calculations of data from CDC WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/25p43/> and <https://osf.io/k2pzy/>. Code from <https://osf.io/29d3h/>. Abbreviation: API, Asian/Pacific Islander.

Indian and Alaska Natives), black–white differences have narrowed recently, particularly in large metropolitan areas (71). This rapid increase has undoubtedly contributed to life expectancy stagnation, with analyses showing that the 2-year increase in life expectancy at birth since 2000 would have been 0.3 years greater were it not for increases in unintentional drug poisoning (28, 76).

4.6.2. Suicide. Deaths from suicide have been increasing steadily since the late 1990s (Figure 5), following a period of decline, particularly at older ages (89), though trends at the youngest ages have been rising for some time (21). Although rates are higher among men, relative increases in recent years have been larger among women, particularly non-Hispanic white women. The rural–urban gap in suicide rates widened in recent years, reflecting comparatively larger increases in more rural areas (37, 56, 143). Rates are higher for American Indians and Alaska Natives and non-Hispanic whites, and they have increased most rapidly among these groups in recent years (65). Most suicides involve firearms and hanging/suffocation, and rates of use for both mechanisms have increased since 2001 (65).

4.6.3. Cardiovascular disease. Given the prominent role that CVDs have played in driving US mortality trends, they have likely contributed to changes in life expectancy. Recent trends bear this out. Figure 6 shows trends in age-adjusted CVD rates by gender, race/ethnicity, and broad age group and demonstrates a slowdown in the pace of mortality decline that began around 2010. The stalled progress in reducing mortality is most notable for non-Hispanic blacks, who have substantially higher rates of CVD mortality at all ages, but it is also apparent in other race/ethnic groups.




Figure 5

Trends in age-adjusted suicide death rates, 1999–2018, by gender and race/ethnicity (ICD-10 codes X60–X84). Authors’ calculations of data from CDC WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/a92mw/> and <https://osf.io/9ucs2/>. Code from <https://osf.io/45xyt/>. Abbreviation: API, Asian/Pacific Islander.

Ford & Capewell first reported on slower declines in coronary heart disease mortality in the 1990s among younger age groups (38), but more recent reports show that the rate of decline in CVD, including both coronary heart disease and stroke, has slowed substantially since about 2010 for all gender and race/ethnic groups (134). This slowdown has undoubtedly impacted life expectancy trends, and one recent analysis reports that even if drug-related deaths had remained consistently high since 2010, life expectancy would have increased by at least one year had the United States not experienced stagnating declines in CVD (91). The fact that adverse changes to CVD mortality appear to be affecting most adults and race/ethnic groups suggests population-wide changes in CVD determinants.

4.6.4. Cancers. Recent years have seen strong declines in cancer mortality, particularly from lung cancer, the leading cause of cancer death (135). Men have seen steep declines in prostate, lung, and colorectal cancer since the early 1990s. Among women, colorectal cancer, breast cancer, and lung cancer mortality have also declined. However, death rates from liver cancer have been increasing since 2000 (154), shown in **Supplemental Figure 11**. One possible cause of liver cancer mortality increases is hepatitis C virus infections, which have tripled since 2009, are spread through injectable opioid use (155) and have most affected the geographic and demographic groups also impacted by the opioid epidemic (83, 124).

4.6.5. Other notable causes. While not typically listed among the leading causes of death, alcohol-related causes figure prominently in the deaths of despair narrative, particularly owing to increasing rates among non-Hispanic whites (11, 12). **Figure 7** shows a mixed picture of trends in alcohol-related causes of death by race/ethnicity and gender. Rates among non-Hispanic blacks

Supplemental Material >




Figure 6

Age-adjusted cardiovascular disease death rates per 100,000, by age group, gender, and race/ethnicity, 1990–2017. Author’s calculations of data from the National Center for Health Statistics (98). Data available from <https://osf.io/78y2w/>. Code from <https://osf.io/mpxjv/>.

and Hispanics declined until around 2010, whereas rates for non-Hispanic whites were generally stable and increased after 2010.

Recent years have also seen increases in Alzheimer’s disease, which, when combined with other dementia-related causes (including unspecified dementia, vascular disease, and other degenerative diseases of the nervous system), was the third leading cause of death in 2017. The number of annual dementia-related deaths increased substantially since 1999, particularly in recent years, which has also contributed to the slowdown, stagnation, and decrease in US life expectancy (28).

4.6.6. Cause-of-death contributions to recent life expectancy declines. The risks of dying from different diseases clearly vary by time period, gender, and race/ethnicity. **Figure 8** shows the contribution of 14 broad causes of death to the decline in life expectancy at birth for men and women between 2014 and 2017 by race/ethnicity (see the **Supplemental Material** for methods).

The largest decline during this period was for non-Hispanic black men, chiefly owing to adverse changes in unintentional poisoning and homicide, which accounted for more than 75% of their decline (51). Non-Hispanic white men and, to a lesser extent, women also experienced a decline, nearly all of which was due to adverse changes in mortality from unintentional poisoning. This finding was also true for Hispanic men and non-Hispanic Asian and Pacific Islander men. Increases in suicide also played a small role among men, and Alzheimer’s disease made important contributions for women. Calculations between 2010 and 2018 (**Supplemental Figure 12**) are generally similar. The results in **Figure 8** are also consistent with other recent studies showing

Supplemental Material >




Figure 7

Age-adjusted alcohol-related death rates per 100,000, by age group, gender, and race/ethnicity, 1999–2018 [ICD-10 codes K70, K73, K47 (chronic liver disease and cirrhosis), F47 (alcohol use disorders)]. Authors' calculations of data from CDC WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/bgf6v/> and <https://osf.io/tx96r/>. Code from <https://osf.io/nh4ve/>. Abbreviation: API, Asian/Pacific Islander.

that unintentional poisoning is the primary, though not the only, cause of death retarding progress in US life expectancy (28, 76).

4.7. Implications of COVID-19 in the United States on Life Expectancy Trends

As we write this review, the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) pandemic that began in December 2019 in Wuhan, China, has spread to at least 215 countries, areas, or territories, with more than 35 million confirmed cases globally (151). The resulting disease, coronavirus disease 2019 (COVID-19), has caused at least 1 million deaths as of October 5, 2020. The United States has been greatly affected, presently accounting for at least one-quarter of worldwide confirmed cases and deaths (151). Although initial cases were associated with wealth and privilege, the burden quickly shifted to increased mortality among nonwhites. Black Americans currently account for 23% of the deaths but only 13% of the US population. The reasons for disproportionate impacts on black Americans are complex but are likely related to systemic racism that has generated a higher prevalence of underlying conditions that increase the risk of mortality from COVID-19 and to a higher risk of exposure to SARS-CoV-2. What are the implications of the coronavirus pandemic for life expectancy in 2020 and going forward? A recent preliminary attempt to estimate the life expectancy impacts in the United States reports probable declines of 0.5 years (59), larger than the single-year impact of HIV in the 1980s or the recent decline largely attributable to opioids. Given that prior pandemics have not only affected life expectancy but also led to subgroup differences as well (103), differential impacts on life expectancy by race seem likely.




Figure 8

Contribution of 14 causes of death to the decline in life expectancy between 2014 and 2017, by gender and race/ethnicity. Dark shading indicates causes contributing to a decline; light shading indicates causes contributing to a rise. Authors' calculations of data from CDC WONDER (13; data are from the Multiple Cause of Death Files, 1999–2018). Data available from <https://osf.io/tw3ge/> and <https://osf.io/nb68q/>. Code from <https://osf.io/e39y2/> and <https://osf.io/knxd5/>.

5. RECONCILING NARRATIVES OF THE DECLINE WITH MORTALITY PATTERNS

Stagnating US life expectancy since 2010 reflects the combined effects of large increases in unintentional drug poisonings, mostly among men, increases in Alzheimer's disease, mostly among women, increases in non-Hispanic white suicides and non-Hispanic black homicides, as well as slowdowns in the pace of decline of CVD in the whole population. Can a single narrative provide a compelling explanation for these diverse patterns?

5.1. "Despair"

Our analysis provides some evidence consistent with the deaths of despair narrative. Deaths from drug overdoses, suicide, and alcohol-related causes have increased, and some evidence indicates

that low-educated populations and non-Hispanic whites have been disproportionately affected. However, “despair” remains an ill-defined concept whose primary function—as acknowledged by its progenitors—is descriptive, not explanatory (12). Moreover, a number of other patterns are more difficult to reconcile with this narrative as an explanation for declining life expectancy.

Although all race/ethnic groups saw life expectancy declines between 2014 and 2017, the despair narrative has largely ignored nonwhites, thereby de-emphasizing the still substantial race/ethnic differences in mortality (8, 26). Black men lost the most years of life expectancy during the decline, chiefly due to increases in deaths from opioid overdoses and homicide, the latter of which appears to be tied to the expansion of illicit drug markets with synthetic opioids and, possibly, deteriorating police–community relations following high-profile incidents of police use of excessive force (25, 119). And yet the spike in homicide, after years of decline (132), has attracted little attention.

Deaths from suicides and alcohol are rising, but they do not play a large role in explaining the lagging international ranking of the United States nor the recent decline in life expectancy. The rise in suicide rates has been larger in more rural parts of the country, particularly in the mountain west, where rates have been persistently high for decades (86). Moreover, the rise in suicides has not been limited to the middle-aged; increases have been documented among those aged 15–44 as well. Reported suicide attempts have slightly increased in recent years, but these have been primarily at younger ages and are evident for both non-Hispanic whites and blacks (85, 105).

The geographic patterning of mortality rates by cause is difficult to square with any overarching explanation. For example, **Supplemental Figure 13** shows maps of state death rates for non-Hispanic white men ages 45–54 from 2010 to 2018 for all causes, suicides, unintentional overdoses, and alcohol-related deaths. All-cause mortality is highest in the East South Central states, where CVD rates are high; suicides are elevated in the mountain states; alcohol-related deaths are also elevated on the west coast and in the mountain states; and unintentional overdose deaths demonstrate an east-to-west gradient. Growth rates in deaths of despair also follow distinct geographic patterns. Though it is plausible that the consequences of despair may take different forms in different regions, there is little evidence for that assertion at present.

Moreover, we do not yet have strong evidence that markers of despair have increased to sufficiently explain what complex mortality patterns are. Claims that white Americans are “drinking themselves to death” (12, p. 38) are difficult to reconcile with limited evidence of either long-term or recent increases in hazardous alcohol consumption (49, 130) or drug use. National surveys of alcohol consumption do not agree on whether trends in binge drinking and heavy alcohol consumption are increasing (45), and per capita consumption does not appear to have increased dramatically. Trends in alcohol-related motor vehicle crashes and driving under the influence are also stable (22), yet prior research shows strong associations between alcohol consumption and traffic accidents (102, 114). Trends in substance use disorders since the early 2000s are flat (80), though they may be rising for different subpopulations. Evidence for substantial increases in pain or other measures of despair is also lacking. Pain trends in national surveys are nearly flat or marginally increasing in recent years (99), though some longitudinal data show increases (44). Broader temporal and race/ethnic trends in social attitudes are also difficult to square with the narrative of white despair (145).

Finally, the deaths of despair narrative has little to say about CVD mortality, another chief reason for stagnating US life expectancy and still the most common cause of death. Claims that drug and alcohol use associated with deaths of despair may make people more likely to die of heart disease (12) are accompanied by little evidence. It seems more plausible that slowdowns in CVD mortality stem from large, population-wide, prior increases in obesity and diabetes that began decades earlier (93, 113, 134). Moreover, the slowdown in CVD mortality is not exceptional to

the United States; several other rich countries have also seen stagnating declines in CVD mortality in recent years, likely related to rising obesity and plateauing reductions in smoking (81).

The deaths of despair narrative ultimately fails to explain declining life expectancy or to provide practical and just policy guidance, despite support for some of its components, precisely because it cannot be reconciled with the diversity of mortality patterns in recent years. We would argue instead for greater efforts to tease apart the specific mechanisms linking adverse mortality trends to risk factors and, hopefully, to interventions (26).

5.2. Economic Conditions

Most other narratives of worsening US mortality have focused on the relationship between indicators of economic performance and mortality (104). Since the 1990s, a number of researchers have argued that higher levels of income inequality could explain variations in mortality and life expectancy both within and between countries (70, 109), but strong evidence for this explanation remains wanting, particularly with respect to reconciling trends in income inequality with rising (or falling) cause-specific mortality rates across different gender and race/ethnic groups (82). Other research has focused on linking business cycles and mortality, particularly unemployment rates and/or economic recessions. Rigorous studies have generally found that increases in unemployment lead to reductions in the overall death rate (9). The Great Recession of 2007–2009 led to declines in overall US mortality, CVD, and traffic crash deaths and to small increases in overdose deaths (50, 122, 144). However, the fact that suicide and opioid overdose deaths have increased nearly continuously through unemployment cycling up and down during the past 25 years makes it difficult to square with recent trends.

5.3. Opioids

The opioid epidemic is a primary reason for the recent decline in US life expectancy. Rates of unintentional drug poisoning began rising in the 1980s (36, 87, 150) and increased steadily, owing primarily to the rising volume and potency of prescription opioids (e.g., OxyContin) until the late 2000s. After 2000, deaths from heroin and synthetic opioids increased, and, around 2010, deaths associated with illicit and much more lethal fentanyl began rising sharply (140). These changes had differential impacts on demographic groups and geographic areas (1, 61, 71, 108) that are difficult to reconcile with generalized increases in despair (123). Compelling evidence indicates that much of this increase has been driven by supply-side factors (72, 74), namely increased recognition of and willingness to treat chronic noncancer pain and aggressive marketing of opioids, but much of the despair narrative has focused on demand, largely related to declining economic conditions. Demand may be part of the story (23)—increases in the number of individuals on disability for conditions potentially treatable with opioids have increased (4, 75)—but the evidence is strong for supply-side determinants. Recent work suggests that the increase in overdose mortality is explained largely by the availability and relatively low cost of opioids rather than by economic conditions (123). Earlier increases in opioid deaths among non-Hispanic whites are also plausibly explained by a combination of greater access to prescription opioids, as well as racial bias in pain management (63, 111, 129).

6. POTENTIAL AREAS OF INTERVENTION

If an important policy goal is to improve overall life expectancy, then policy responses will have to address the complexity of mortality patterns, focusing on interventions that can address the

primary drivers of the decline. Given our review and analysis, policies that address drug overdoses should be at the top of the list. Rigorous evidence is scarce, but increasing naloxone availability, promoting needle exchange, expanding medication-assisted addiction treatment, and increasing access to treatment appear to be promising interventions (110). In addition, given that nearly 30% of deaths are still due to CVD, understanding and mitigating the causes of slowing declines in cardiovascular mortality should also be a priority. Primordial prevention strategies that start in early life and aim to increase the likelihood of entering adulthood with a favorable risk profile are likely to deliver long-term benefits (42), as well as the potential to reduce social inequalities (53).

Rising suicide rates are clearly a sign of distress. Evidence from other countries demonstrates that decreasing access to the means of completing suicides may be effective (46, 47). Given that nearly half of US suicides involve firearms (65), as well as their outsized role in homicides, policies to reduce firearm-related deaths are a good bet (139). These include safe storage laws, waiting periods and dealer background checks, and purchasing prohibitions associated with domestic violence. There is also a strong public health rationale for repealing “stand-your-ground” laws, present in two-thirds of states, which increase homicide rates (139).

The deaths of despair narrative offers the promise that policies that address upstream determinants such as minimum wage increases or education reform will make the most impact, as they will address not only overdoses, suicides, and alcohol-related problems but also underlying structural causes. This is an appealing argument but one that relies on little rigorous evidence. The lack of evidence speaks not only to the need to improve the evidence base linking mortality to social and economic policies, but also to the need for dedicated efforts to develop longitudinal surveillance systems for law and policy data (15). Finally, by focusing on mortality among middle-aged whites, the deaths of despair narrative obscures large and persistent racial inequalities in life expectancy and may lead to interventions that leave behind historically marginalized groups.

To be clear, we agree that there are strong reasons to address declining economic conditions for disadvantaged Americans. Whether these interventions will be as effective in reducing unintentional poisonings as more targeted interventions, such as reducing the supply of fentanyl or increasing access to naloxone, remains to be seen.

7. SUMMARY

As we have documented, the decline in overall life expectancy in the United States is a complex phenomenon. Big-picture narratives are often compelling because of their simplicity and ability to explain it all (24), but they risk missing the trees for the forest. We do not mean to imply that overarching theories and explanations are not useful, but the hard work of understanding America’s recent mortality crisis and its social causes will require a more informed understanding of how social determinants interact with specific exposures and resources to affect the mortality trajectories of various populations.

SUMMARY POINTS

1. The recent decline in US life expectancy at birth was unprecedented, but the decline is small relative to persistent inequalities in life expectancy across race/ethnic and socioeconomic subgroups.
2. Recent declines in life expectancy have affected nearly all race/ethnic and gender groups.

3. Most of the decline in life expectancy was due to adverse mortality trends in unintentional opioid overdoses, homicide, and Alzheimer's disease.
4. Deaths from suicide and alcohol-related causes have risen but explain little of America's stagnating life expectancy trends.
5. Interventions and strategies to reverse the slowdown in CVD mortality declines are needed to accelerate improvements in US life expectancy, in addition to reducing opioid overdose deaths.

FUTURE ISSUES

1. Future research should focus on designing rigorous evaluations of interventions to reduce deaths from opioid overdoses.
2. Research and infrastructure are urgently needed for reliable estimation of life expectancy for American Indians and Alaska Natives.
3. Studies that precisely define and measure despair and estimate its effects on specific causes of death are required to evaluate the role that deaths of despair may play in US mortality trends.

DISCLOSURE STATEMENT

The authors are not aware of any affiliations, memberships, funding, or financial holdings that might be perceived as affecting the objectivity of this review.

LITERATURE CITED

1. Alexander MJ, Kiang MV, Barbieri M. 2018. Trends in black and white opioid mortality in the United States, 1979–2015. *Epidemiology* 29(5):707–15
2. Arias E, Schauman WS, Eschbach K, Sorlie PD, Backlund E. 2008. The validity of race and Hispanic origin reporting on death certificates in the United States. *Vital Health Stat.* 2. 2008(148):1–23
3. Arriaga EE. 1984. Measuring and explaining the change in life expectancies. *Demography* 21(1):83–96
4. Autor DH, Duggan MG. 2006. The growth in the Social Security Disability rolls: a fiscal crisis unfolding. *J. Econ. Perspect.* 20(3):71–96
5. Bandi P, Silver D, Mijanovich T, Macinko J. 2015. Temporal trends in motor vehicle fatalities in the United States, 1968 to 2010—a joinpoint regression analysis. *Inj. Epidemiol.* 2(1):4
6. Bosworth B. 2018. Increasing disparities in mortality by socioeconomic status. *Annu. Rev. Public Health* 39:237–51
7. Bound J, Geronimus AT, Rodriguez JM, Waidmann TA. 2015. Measuring recent apparent declines in longevity: the role of increasing educational attainment. *Health Aff.* 34(12):2167–73
8. Brown L, Tucker-Seeley R. 2018. Commentary: Will “deaths of despair” among whites change how we talk about racial/ethnic health disparities? *Ethn. Dis.* 28(2):123–28
9. Burgard SA, Kalousova L. 2015. Effects of the Great Recession: health and well-being. *Annu. Rev. Sociol.* 41:181–201
10. Case A, Deaton A. 2015. Rising morbidity and mortality in midlife among white non-Hispanic Americans in the 21st century. *PNAS* 112(49):15078–83
11. Case A, Deaton A. 2017. Mortality and morbidity in the 21st century. *Brookings Pap. Econ. Act.* 2017:397–476

12. Case A, Deaton A. 2020. *Deaths of Despair and the Future of Capitalism*. Princeton, NJ: Princeton Univ. Press
13. CDC (Cent. Dis. Control Prev.), Natl. Cent. Health Stat. 2020. *Underlying cause of death, 1999–2018*. CDC WONDER Online Database, retrieved June 4. <https://wonder.cdc.gov>
14. Chetty R, Stepner M, Abraham S, Lin S, Scuderi B, et al. 2016. The association between income and life expectancy in the United States, 2001–2014. *JAMA* 315(16):1750–66
15. Chriqui JF, O'Connor JC, Chaloupka FJ. 2011. What gets measured, gets changed: evaluating law and policy for maximum impact. *J. Law. Med. Ethics* 39(Suppl. 1):21–26
16. Crimmins EM, Preston SH, Cohen B, Natl. Res. Council., eds. 2011. *Explaining Divergent Levels of Longevity in High-Income Countries*. Washington, DC: Natl. Acad. Press
17. Crimmins EM, Zhang YS. 2019. Aging populations, mortality, and life expectancy. *Annu. Rev. Sociol.* 45:69–89
18. Cross SH, Mehra MR, Bhatt DL, Nasir K, O'Donnell CJ, et al. 2020. Rural-urban differences in cardiovascular mortality in the US, 1999–2017. *JAMA* 323(18):1852–54
19. Currie J, Schwandt H. 2016. Inequality in mortality decreased among the young while increasing for older adults, 1990–2010. *Science* 352(6286):708–12
20. Curtin SC, Arias E. 2019. *Mortality trends by race and ethnicity among adults aged 25 and over: United States, 2000–2017*. NCHS Data Brief 342, Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/data/databriefs/db342-h.pdf>
21. Cutler DM, Glaeser EL, Norberg KE. 2001. Explaining the rise in youth suicide. In *Risky Behavior Among Youths: An Economic Analysis*, ed. J Gruber, pp. 219–69. Chicago: Chicago Univ. Press
22. Dang JN. 2008. *Statistical analysis of alcohol-related driving trends, 1982–2005*. DOT HS-810 942, Natl. Highw. Traffic Saf. Adm., Washington, DC. <https://rosap.nhtl.bts.gov/view/dot/16493>
23. Dasgupta N, Beletsky L, Ciccarone D. 2018. Opioid crisis: no easy fix to its social and economic determinants. *Am. J. Public Health* 108(2):182–86
24. Davey Smith G, Egger M. 1996. Commentary: understanding it all—health, meta-theories, and mortality trends. *BMJ* 313(7072):1584–85
25. Desmond M, Papachristos AV, Kirk DS. 2016. Police violence and citizen crime reporting in the black community. *Am. Sociol. Rev.* 81(5):857–76
26. Diez Roux AV. 2017. Despair as a cause of death: more complex than it first appears. *Am. J. Public Health* 107(10):1566–67
27. Dowd JB, Hamoudi A. 2014. Is life expectancy really falling for groups of low socio-economic status? Lagged selection bias and artefactual trends in mortality. *Int. J. Epidemiol.* 43(4):983–88
28. Dowell D, Arias E, Kochanek K, Anderson R, Guy GP, et al. 2017. Contribution of opioid-involved poisoning to the change in life expectancy in the United States, 2000–2015. *JAMA* 318(11):1065–67
29. Duleep HO. 1989. Measuring socioeconomic mortality differentials over time. *Demography* 26(2):345–51
30. Dwyer-Lindgren L, Bertozzi-Villa A, Stubbs RW, Morozoff C, Kutz MJ, et al. 2016. US county-level trends in mortality rates for major causes of death, 1980–2014. *JAMA* 316(22):2385–401
31. Dwyer-Lindgren L, Bertozzi-Villa A, Stubbs RW, Morozoff C, Mackenbach JP, et al. 2017. Inequalities in life expectancy among US counties, 1980 to 2014: temporal trends and key drivers. *JAMA Intern. Med.* 177(7):1003–11
32. Ezzati M, Friedman AB, Kulkarni SC, Murray CJL. 2008. The reversal of fortunes: trends in county mortality and cross-county mortality disparities in the United States. *PLOS Med.* 5(4):e66
33. Fenelon A. 2013. Geographic divergence in mortality in the United States. *Popul. Dev. Rev.* 39(4):611–34
34. Fenelon A, Boudreaux M. 2019. Life and death in the American city: men's life expectancy in 25 major American cities from 1990 to 2015. *Demography* 56(6):2349–75
35. Fenton L, Minton J, Ramsay J, Kaye-Bardgett M, Fischbacher C, et al. 2019. Recent adverse mortality trends in Scotland: comparison with other high-income countries. *BMJ Open* 9(10):e029936
36. Fingerhut LA, Cox CS. 1998. Poisoning mortality, 1985–1995. *Public Health Rep.* 113(3):218–33
37. Fontanella CA, Hiance-Steelesmith DL, Phillips GS, Bridge JA, Lester N, et al. 2015. Widening rural-urban disparities in youth suicides, United States, 1996–2010. *JAMA Pediatr.* 169(5):466–73
38. Ford ES, Capewell S. 2007. Coronary heart disease mortality among young adults in the U.S. from 1980 through 2002: concealed leveling of mortality rates. *J. Am. Coll. Cardiol.* 50(22):2128–32

39. Garcia MC, Rossen LM, Bastian B, Faul M, Dowling NF, et al. 2019. Potentially excess deaths from the five leading causes of death in metropolitan and nonmetropolitan counties—United States, 2010–2017. *MMWR Surveill. Summ.* 68(10):1–11
40. Gelman A, Auerbach J. 2016. Age-aggregation bias in mortality trends. *PNAS* 113(7):E816–17
41. Geronimus AT, Bound J, Waidmann TA, Rodriguez JM, Timpe B. 2019. Weathering, drugs, and whack-a-mole: fundamental and proximate causes of widening educational inequity in U.S. life expectancy by sex and race, 1990–2015. *J. Health Soc. Behav.* 60(2):222–39
42. Gillman MW. 2015. Primordial prevention of cardiovascular disease. *Circulation* 131(7):599–601
43. Goldring T, Lange F, Richards-Shubik S. 2016. Testing for changes in the SES-mortality gradient when the distribution of education changes too. *J. Health Econ.* 46:120–30
44. Grol-Prokopczyk H. 2017. Sociodemographic disparities in chronic pain, based on 12-year longitudinal data. *Pain* 158(2):313–22
45. Grucza RA, Sher KJ, Kerr WC, Krauss MJ, Lui CK, et al. 2018. Trends in adult alcohol use and binge drinking in the early 21st-century United States: a meta-analysis of 6 national survey series. *Alcohol. Clin. Exp. Res.* 42(10):1939–50
46. Gunnell D. 2015. A population health perspective on suicide research and prevention. *Crisis* 36(3):155–60
47. Gunnell D, Fernando R, Hewagama M, Priyangika WDD, Konradsen F, Eddleston M. 2007. The impact of pesticide regulations on suicide in Sri Lanka. *Int. J. Epidemiol.* 36(6):1235–42
48. Hadden WC, Rockswold PD. 2008. Increasing differential mortality by educational attainment in adults in the United States. *Int. J. Health Serv.* 38(1):47–61
49. Han BH, Moore AA, Sherman S, Keyes KM, Palamar JJ. 2017. Demographic trends of binge alcohol use and alcohol use disorders among older adults in the United States, 2005–2014. *Drug Alcohol Depend.* 170:198–207
50. Harper S, Bruckner TA. 2017. Did the Great Recession increase suicides in the USA? Evidence from an interrupted time-series analysis. *Ann. Epidemiol.* 27(7):409–414.e6
51. Harper S, Kaufman JS, Cooper RS. 2017. Declining US life expectancy: a first look. *Epidemiology* 28(6):e54–56
52. Harper S, Lynch J, Burris S, Davey Smith G. 2007. Trends in the black-white life expectancy gap in the United States, 1983–2003. *JAMA* 297(11):1224–32
53. Harper S, Lynch J, Davey Smith G. 2011. Social determinants and the decline of cardiovascular diseases: understanding the links. *Annu. Rev. Public Health* 32:39–69
54. Harper S, MacLehose RF, Kaufman JS. 2014. Trends in the black-white life expectancy gap among US States, 1990–2009. *Health Aff.* 33(8):1375–82
55. Harper S, Rushani D, Kaufman JS. 2012. Trends in the black-white life expectancy gap, 2003–2008. *JAMA* 307(21):2257–59
56. Hedegaard H, Curtin SC, Warner M. 2018. *Suicide mortality in the United States, 1999–2017*. NCHS Data Brief 330, Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/data/databriefs/db330-h.pdf>
57. Hedegaard H, Miniño AM, Warner M. 2018. *Drug overdose deaths in the United States, 1999–2017*. NCHS Data Brief 329, Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/data/databriefs/db329-h.pdf>
58. Hendi AS. 2015. Trends in U.S. life expectancy gradients: the role of changing educational composition. *Int. J. Epidemiol.* 44(3):946–55
59. Heuveline P, Tzen M. 2020. Beyond deaths per capita: three CoViD-19 mortality indicators for temporal and international comparisons. medRxiv 20085506. <https://doi.org/10.1101/2020.04.29.20085506>
60. Ho JY. 2013. Mortality under age 50 accounts for much of the fact that US life expectancy lags that of other high-income countries. *Health Aff.* 32(3):459–67
61. Ho JY. 2019. The contemporary American drug overdose epidemic in international perspective. *Popul. Dev. Rev.* 45(1):7–40
62. Ho JY, Hendi AS. 2018. Recent trends in life expectancy across high income countries: retrospective observational study. *BMJ* 362:k2562

63. Hoffman KM, Trawalter S, Axt JR, Oliver MN. 2016. Racial bias in pain assessment and treatment recommendations, and false beliefs about biological differences between blacks and whites. *PNAS* 113(16):4296–301
64. IHS (Indian Health Serv.). 2019. *Indian health disparities*. Fact Sheet, IHS, Rockville, MD. https://www.ihs.gov/sites/newsroom/themes/responsive2017/display_objects/documents/factsheets/Disparities.pdf
65. Ivey-Stephenson AZ, Crosby AE, Jack SPD, Haileyesus T, Kresnow-Sedacca M-J. 2017. Suicide trends among and within urbanization levels by sex, race/ethnicity, age group, and mechanism of death—United States, 2001–2015. *MMWR Surveill. Summ.* 66(18):1–16
66. Jalal H, Buchanich JM, Roberts MS, Balmert LC, Zhang K, Burke DS. 2018. Changing dynamics of the drug overdose epidemic in the United States from 1979 through 2016. *Science* 361(6408):eaau1184
67. Jones CM, Einstein EB, Compton WM. 2018. Changes in synthetic opioid involvement in drug overdose deaths in the United States, 2010–2016. *JAMA* 319(17):1819–21
68. Jones DS. 2006. The persistence of American Indian health disparities. *Am. J. Public Health* 96(12):2122–34
69. Kaufman JS, Riddell CA, Harper S. 2019. Black and white differences in life expectancy in 4 US states, 1969–2013. *Public Health Rep.* 134(6):634–42
70. Kawachi I, Kennedy BP, Wilkinson RG, eds. 1999. *The Society and Population Health Reader: Income Inequality and Health*. New York: New Press
71. Kiang MV, Basu S, Chen J, Alexander MJ. 2019. Assessment of changes in the geographical distribution of opioid-related mortality across the United States by opioid type, 1999–2016. *JAMA Netw. Open* 2(2):e190040
72. Kiang MV, Humphreys K, Cullen MR, Basu S. 2020. Opioid prescribing patterns among medical providers in the United States, 2003–17: retrospective, observational study. *BMJ* 368:l6968
73. Kindig DA, Cheng ER. 2013. Even as mortality fell in most US counties, female mortality nonetheless rose in 42.8 percent of counties from 1992 to 2006. *Health Aff.* 32(3):451–58
74. King NB, Fraser V, Boikos C, Richardson R, Harper S. 2014. Determinants of increased opioid-related mortality in the United States and Canada, 1990–2013: a systematic review. *Am. J. Public Health* 104(8):e32–42
75. King NB, Strumpf E, Harper S. 2016. Has the increase in disability insurance participation contributed to increased opioid-related mortality? *Ann. Intern. Med.* 165(10):729–30
76. Kochanek KD, Arias E, Bastian BA. 2016. *The effect of changes in selected age-specific causes of death on non-Hispanic white life expectancy between 2000 and 2014*. NCHS Data Brief 250, Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/data/databriefs/db250.pdf>
77. Krieger N, Chen JT, Ebel G. 1997. Can we monitor socioeconomic inequalities in health? A survey of U.S. health departments' data collection and reporting practices. *Public Health Rep.* 112(6):481–91
78. Krieger N, Rehkopf DH, Chen JT, Waterman PD, Marcelli E, Kennedy M. 2008. The fall and rise of US inequities in premature mortality: 1960–2002. *PLOS Med.* 5(2):e46
79. Kunitz SJ. 2008. Ethics in public health research: changing patterns of mortality among American Indians. *Am. J. Public Health* 98(3):404–11
80. Lipari RN, Van Horn SL. 2013. Trends in substance use disorders among adults aged 18 or older. In *CBHSQ Report*. Short Rep. 2790, Subst. Abuse Ment. Health Serv. Adm., Rockville, MD. https://www.samhsa.gov/data/sites/default/files/report_2790/ShortReport-2790.pdf
81. Lopez AD, Adair T. 2019. Is the long-term decline in cardiovascular-disease mortality in high-income countries over? Evidence from national vital statistics. *Int. J. Epidemiol.* 48(6):1815–23
82. Lynch J, Davey Smith G, Harper S, Hillemeier M. 2004. Is income inequality a determinant of population health? Part 2. U.S. national and regional trends in income inequality and age- and cause-specific mortality. *Milbank Q.* 82(2):355–400
83. Ma J, Siegel RL, Islami F, Jemal A. 2019. Temporal trends in liver cancer mortality by educational attainment in the United States, 2000–2015. *Cancer* 125(12):2089–98
84. Macinko J, Elo IT. 2009. Black-white differences in avoidable mortality in the USA, 1980–2005. *J. Epidemiol. Community Health* 63(9):715–21

85. Martínez-Alés G, Keyes KM. 2019. Fatal and non-fatal self-injury in the USA: critical review of current trends and innovations in prevention. *Curr. Psychiatry Rep.* 21(10):104
86. Massey JT. 1967. *Suicide in the United States, 1950–1964*. Rep. 20(5), Div. Vital Stat., Natl. Cent. Health Stat., Rockville, MD. https://www.cdc.gov/nchs/data/series/sr_20/sr20_005.pdf
87. Masters RK, Tilstra AM, Simon DH. 2017. Mortality from suicide, chronic liver disease, and drug poisonings among middle-aged U.S. white men and women, 1980–2013. *Biodemogr. Soc. Biol.* 63(1):31–37
88. Masters RK, Tilstra AM, Simon DH. 2018. Explaining recent mortality trends among younger and middle-aged white Americans. *Int. J. Epidemiol.* 47(1):81–88
89. McKeown RE, Cuffe SP, Schulz RM. 2006. US suicide rates by age group, 1970–2002: an examination of recent trends. *Am. J. Public Health* 96(10):1744–51
90. Meara ER, Richards S, Cutler DM. 2008. The gap gets bigger: changes in mortality and life expectancy, by education, 1981–2000. *Health Aff.* 27(2):350–60
91. Mehta NK, Abrams LR, Myrskylä M. 2020. US life expectancy stalls due to cardiovascular disease, not drug deaths. *PNAS* 117(13):6998–7000
92. Mehta NK, Elo IT, Engelman M, Lauderdale DS, Kestenbaum BM. 2016. Life expectancy among U.S.-born and foreign-born older adults in the United States: estimates from linked Social Security and Medicare data. *Demography* 53(4):1109–34
93. Mensah GA, Wei GS, Sorlie PD, Fine LJ, Rosenberg Y, et al. 2017. Decline in cardiovascular mortality. *Circ. Res.* 120(2):366–80
94. Montez JK, Berkman LF. 2014. Trends in the educational gradient of mortality among US adults aged 45 to 84 years: bringing regional context into the explanation. *Am. J. Public Health* 104(1):e82–90
95. Montez JK, Hummer RA, Hayward MD, Woo H, Rogers RG. 2011. Trends in the educational gradient of U.S. adult mortality from 1986 through 2006 by race, gender, and age group. *Res. Aging* 33(2):145–71
96. Montez JK, Zajacova A, Hayward MD, Woolf SH, Chapman D, Beckfield J. 2019. Educational disparities in adult mortality across U.S. states: How do they differ, and have they changed since the mid-1980s? *Demography* 56(2):621–44
97. Moy E, Garcia MC, Bastian B, Rossen LM, Ingram DD, et al. 2017. Leading causes of death in non-metropolitan and metropolitan areas—United States, 1999–2014. *MMWR Surveill. Summ.* 66(1):1–8
98. Natl. Cancer Inst. 2019. *Mortality—all COD, aggregated with county, total U.S. (1969–2017)*, <Katrina/Rita population adjustment>- *Linked to county attributes - total U.S., 1969–2018 counties*. SEER*Stat Version 8.3.6, Natl. Cancer Inst., Surveill. Res. Progr., Hyattsville, MD, updated August 8. <https://seer.cancer.gov/seerstat/>
99. Natl. Cent. Health Stat. 2018. Table 41. Severe headache or migraine, low back pain, and neck pain among adults aged 18 and over, by selected characteristics: United States, selected years 1997–2016. In *Health, United States 2017*. Rep., Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/hus/contents2017.htm#041>
100. Natl. Res. Counc., Crimmins EM, Preston SH, Cohen B, eds. 2010. *International Differences in Mortality at Older Ages: Dimensions and Sources*. Washington, DC: Natl. Acad. Press
101. Natl. Res. Counc., Woolf SH, Aron L, eds. 2013. *U.S. Health in International Perspective: Shorter Lives, Poorer Health*. Washington, DC: Natl. Acad. Press
102. Norström T, Ramstedt M. 2005. Mortality and population drinking: a review of the literature. *Drug Alcohol Rev.* 24(6):537–47
103. Noymer A, Garenne M. 2000. The 1918 influenza epidemic's effects on sex differentials in mortality in the United States. *Popul. Dev. Rev.* 26(3):565–81
104. Ogburn WF, Thomas DS. 1922. The influence of the business cycle on certain social conditions. *J. Am. Stat. Assoc.* 18(139):324–40
105. Olsson M, Blanco C, Wall M, Liu S-M, Saha TD, et al. 2017. National trends in suicide attempts among adults in the United States. *JAMA Psychiatry* 74(11):1095–103
106. Olshansky SJ, Antonucci T, Berkman L, Binstock RH, Boersch-Supan A, et al. 2012. Differences in life expectancy due to race and educational differences are widening, and many may not catch up. *Health Aff.* 31(8):1803–13
107. Pappas G, Queen S, Hadden W, Fisher G. 1993. The increasing disparity in mortality between socioeconomic groups in the United States, 1960 and 1986. *N. Engl. J. Med.* 329(2):103–9

108. Peters DJ, Monnat SM, Hochstetler AL, Berg MT. 2020. The opioid hydra: understanding overdose mortality epidemics and syndemics across the rural-urban continuum. *Rural Sociol.* 85:589–622
109. Pickett KE, Wilkinson RG. 2015. Income inequality and health: a causal review. *Soc. Sci. Med.* 128:316–26
110. Pitt AL, Humphreys K, Brandeau ML. 2018. Modeling health benefits and harms of public policy responses to the US opioid epidemic. *Am. J. Public Health* 108(10):1394–400
111. Pletcher MJ, Kertesz SG, Kohn MA, Gonzales R. 2008. Trends in opioid prescribing by race/ethnicity for patients seeking care in US emergency departments. *JAMA* 299(1):70–78
112. Preston SH, Elo IT. 1995. Are educational differentials in adult mortality increasing in the United States? *J. Aging Health* 7(4):476–96
113. Preston SH, Vierboom YC, Stokes A. 2018. The role of obesity in exceptionally slow US mortality improvement. *PNAS* 115(5):957–61
114. Ramstedt M. 2008. Alcohol and fatal accidents in the United States—a time series analysis for 1950–2002. *Accid. Anal. Prev.* 40(4):1273–81
115. Riddell CA, Morrison KT, Kaufman JS, Harper S. 2018. Trends in the contribution of major causes of death to the black-white life expectancy gap by US state. *Health Place* 52:85–100
116. Ritchey MD, Wall HK, George MG, Wright JS. 2020. US trends in premature heart disease mortality over the past 50 years: Where do we go from here? *Trends Cardiovasc. Med.* 30:364–74
117. Roberts MT, Reither EN, Lim S. 2019. Contributors to Wisconsin’s persistent black-white gap in life expectancy. *BMC Public Health* 19(1):891
118. Rosenberg CE. 1992. *Explaining Epidemics and Other Studies in the History of Medicine*. Cambridge, MA/New York: Cambridge Univ. Press
119. Rosenfeld R, Gaston S, Spivak H, Irazola S. 2017. *Assessing and responding to the recent homicide rise in the United States*. NCJ 251067, Natl. Inst. Justice, Washington, DC. <https://www.ncjrs.gov/pdffiles1/nij/251067.pdf>
120. Rostron BL, Boies JL, Arias E. 2010. Education reporting and classification on death certificates in the United States. *Vital Health Stat.* 2 2010(151):1–21
121. Roth GA, Dwyer-Lindgren L, Bertozzi-Villa A, Stubbs RW, Morozoff C, et al. 2017. Trends and patterns of geographic variation in cardiovascular mortality among US counties, 1980–2014. *JAMA* 317(19):1976–92
122. Ruhm CJ. 2015. Recessions, healthy no more? *J. Health Econ.* 42:17–28
123. Ruhm CJ. 2019. Drivers of the fatal drug epidemic. *J. Health Econ.* 64:25–42
124. Ryerson AB, Schillie S, Barker LK, Kupronis BA, Wester C. 2020. Vital signs: newly reported acute and chronic hepatitis C cases—United States, 2009–2018. *MMWR* 69(14):399–404
125. Sasson I. 2016. Trends in life expectancy and lifespan variation by educational attainment: United States, 1990–2010. *Demography* 53(2):269–93
126. Sasson I, Hayward MD. 2019. Association between educational attainment and causes of death among white and black US adults, 2010–2017. *JAMA* 322(8):756–63
127. Satcher D, Fryer GE Jr., McCann J, Troutman A, Woolf SH, Rust G. 2005. What if we were equal? A comparison of the black-white mortality gap in 1960 and 2000. *Health Aff.* 24(2):459–64
128. Schmid CH. 2016. Increased mortality for white middle-aged Americans not fully explained by causes suggested. *PNAS* 113(7):E814
129. Schnittker J, Do D. 2020. Pharmaceutical side effects and mental health paradoxes among racial-ethnic minorities. *J. Health Soc. Behav.* 61:4–23
130. Serdula MK, Brewer RD, Gillespie C, Denny CH, Mokdad A. 2004. Trends in alcohol use and binge drinking, 1985–1999: results of a multi-state survey. *Am. J. Prev. Med.* 26(4):294–98
131. Shanahan L, Hill SN, Gaydos LM, Steinhoff A, Costello EJ, et al. 2019. Does despair really kill? A roadmap for an evidence-based answer. *Am. J. Public Health* 109(6):854–58
132. Sharkey P, Friedson M. 2019. The impact of the homicide decline on life expectancy of African American males. *Demography* 56(2):645–63
133. Siddiqi A, Sod-Erdene O, Hamilton D, Cottom TM, Darity W Jr. 2019. Growing sense of social status threat and concomitant deaths of despair among whites. *SSM—Popul. Health* 9:100449

134. Sidney S, Quesenberry CP Jr, Jaffe MG, Sorel M, Nguyen-Huynh MN, et al. 2016. Recent trends in cardiovascular mortality in the United States and public health goals. *JAMA Cardiol.* 1(5):594–99
135. Siegel RL, Miller KD, Jemal A. 2020. Cancer statistics, 2020. *CA Cancer J. Clin.* 70(1):7–30
136. Singh GK. 2003. Area deprivation and widening inequalities in US mortality, 1969–1998. *Am. J. Public Health* 93(7):1137–43
137. Singh GK, Siahpush M. 2002. Increasing inequalities in all-cause and cardiovascular mortality among US adults aged 25–64 years by area socioeconomic status, 1969–1998. *Int. J. Epidemiol.* 31(3):600–13
138. Singh GK, Siahpush M. 2014. Widening rural-urban disparities in all-cause mortality and mortality from major causes of death in the USA, 1969–2009. *J. Urban Health* 91(2):272–92
139. Smart R, Morral AR, Smucker S, Cherney S, Schell T, et al. 2020. *The Science of Gun Policy: A Critical Synthesis of Research Evidence on the Effects of Gun Policies in the United States*. Santa Monica, CA: RAND. 2nd ed.
140. Spencer MR, Warner M, Bastian BA, Trinidad JP. 2019. Drug overdose deaths involving fentanyl, 2011–2016. *Natl. Vital Stat. Rep.* 68(3):1–19
141. Stallones RA. 1980. The rise and fall of ischemic heart disease. *Sci. Am.* 243(5):53–59
142. Stat. Can. 2019. Changes in life expectancy by selected causes of death, 2017. *The Daily*, May 30. <https://www150.statcan.gc.ca/n1/en/daily-quotidien/190530/dq190530d-eng.pdf?>
143. Steelesmith DL, Fontanella CA, Campo JV, Bridge JA, Warren KL, Root ED. 2019. Contextual factors associated with county-level suicide rates in the United States, 1999 to 2016. *JAMA Netw. Open* 2(9):e1910936
144. Strumpf EC, Charters TJ, Harper S, Nandi A. 2017. Did the Great Recession affect mortality rates in the metropolitan United States? Effects on mortality by age, gender and cause of death. *Soc. Sci. Med.* 189:11–16
145. Tompson T, Benz J. 2013. *The public mood: white malaise but optimism among blacks, Hispanics*. Res. Highlights, Assoc. Press–NORC Cent. Public Aff. Res., Chicago. <https://apnorc.org/projects/the-public-mood-white-malaise-but-optimism-among-blacks-hispanics/>
146. Vaughan AS, Ritchey MD, Hannan J, Kramer MR, Casper M. 2017. Widespread recent increases in county-level heart disease mortality across age groups. *Ann. Epidemiol.* 27(12):796–800
147. Vierboom YC. 2020. Trends in alcohol-related mortality by educational attainment in the U.S., 2000–2017. *Popul. Res. Policy Rev.* 39(1):77–97
148. Vierboom YC, Preston SH, Hendi AS. 2019. Rising geographic inequality in mortality in the United States. *SSM—Popul. Health* 9:100478
149. Wang H, Schumacher AE, Levitz CE, Mokdad AH, Murray CJ. 2013. Left behind: widening disparities for males and females in US county life expectancy, 1985–2010. *Popul. Health Metr.* 11(1):8
150. Warner M, Chen LH, Makuc DM, Anderson RN, Miniño AM. 2011. *Drug poisoning deaths in the United States, 1980–2008*. NCHS Data Brief 81, Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/data/databriefs/db81.pdf>
151. WHO (World Health Organ.). 2020. Coronavirus disease (COVID-19) weekly epidemiological update and weekly operational update. *Situation Reports*. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>
152. Wing S, Hayes C, Heiss G, John E, Knowles M, et al. 1986. Geographic variation in the onset of decline of ischemic heart disease mortality in the United States. *Am. J. Public Health* 76(12):1404–8
153. Woolf SH, Schoemaker H. 2019. Life expectancy and mortality rates in the United States, 1959–2017. *JAMA* 322(20):1996–2016
154. Xu J. 2018. *Trends in liver cancer mortality among adults aged 25 and over in the United States, 2000–2016*. NCHS Data Brief 314, Natl. Cent. Health Stat., Hyattsville, MD. <https://www.cdc.gov/nchs/data/databriefs/db314.pdf>
155. Zibbell JE, Asher AK, Patel RC, Kupronis B, Iqbal K, et al. 2018. Increases in acute hepatitis C virus infection related to a growing opioid epidemic and associated injection drug use, United States, 2004 to 2014. *Am. J. Public Health* 108(2):175–81



Contents

Commentary

- Climate Change Disinformation and How to Combat It
Stephan Lewandowsky 1

Epidemiology and Biostatistics

- Considerations for Developing an Agenda for Gun Violence
Prevention Research
Mark Rosenberg 23
- Influenza Virus: Tracking, Predicting, and Forecasting
Sheikh Taslim Ali and Benjamin J. Cowling 43
- Prediabetes and What It Means: The Epidemiological Evidence
Justin B. Echouffo-Tcheugui and Elizabeth Selvin 59
- Reproducible Research: A Retrospective
Roger D. Peng and Stephanie C. Hicks 79
- Vaccine Hesitancy, Acceptance, and Anti-Vaccination: Trends and
Future Prospects for Public Health
Ève Dubé, Jeremy K. Ward, Pierre Verger, and Noni E. MacDonald 175
- Declining Life Expectancy in the United States: Missing the Trees
for the Forest
Sam Harper, Corinne A. Riddell, and Nicholas B. King 381
- Trends in Abortion Policies in Low- and Middle-Income Countries
Pascale Allotey, T.K. Sundari Ravindran, and Vithiya Sathivelu 505

Social Environment and Behavior

- Prediabetes and What It Means: The Epidemiological Evidence
Justin B. Echouffo-Tcheugui and Elizabeth Selvin 59

A Critical Review of the Social and Behavioral Contributions to the Overdose Epidemic <i>Magdalena Cerdá, Noa Krawczyk, Leah Hamilton, Kara E. Rudolph, Samuel R. Friedman, and Katherine M. Keyes</i>	95
Early Childhood Adversity, Toxic Stress, and the Impacts of Racism on the Foundations of Health <i>Jack P. Shonkoff, Natalie Slopen, and David R. Williams</i>	115
Expanding Implementation Research to Prevent Chronic Diseases in Community Settings <i>Stephanie Mazzucca, Elva M. Arredondo, Deanna M. Hoelscher, Debra Haire-Joshu, Rachel G. Tabak, Shiriki K. Kumanyika, and Ross C. Brownson</i>	135
Understanding and Responding to Health Literacy as a Social Determinant of Health <i>Don Nutbeam and Jane E. Lloyd</i>	159
Vaccine Hesitancy, Acceptance, and Anti-Vaccination: Trends and Future Prospects for Public Health <i>Ève Dubé, Jeremy K. Ward, Pierre Verger, and Noni E. MacDonald</i>	175
Environmental and Occupational Health	
Air Quality in Africa: Public Health Implications <i>Asmawaw Abera, Johan Friberg, Christina Isaxon, Michael Jerrett, Ebba Malmqvist, Cheryl Sjöström, Tabir Taj, and Ana Maria Vargas</i>	193
At the Water's Edge: Coastal Settlement, Transformative Adaptation, and Well-Being in an Era of Dynamic Climate Risk <i>William Solecki and Erin Friedman</i>	211
Climate Change, Food Supply, and Dietary Guidelines <i>Colin W. Binns, Mi Kyung Lee, Bruce Maycock, Liv Elin Torheim, Keiko Nanishi, and Doan Thi Thuy Duong</i>	233
Environmental Health Threats to Latino Migrant Farmworkers <i>Federico Castillo, Ana M. Mora, Georgia L. Kayser, Jennifer Vanos, Carly Hyland, Audrey R. Yang, and Brenda Eskenazi</i>	257
Environmental Influences on the Human Microbiome and Implications for Noncommunicable Disease <i>Jiyoung Ahn and Richard B. Hayes</i>	277

Extreme Weather and Climate Change: Population Health and Health System Implications <i>Kristie L. Ebi, Jennifer Vanos, Jane W. Baldwin, Jesse E. Bell, David M. Hondula, Nicole A. Errett, Katie Hayes, Colleen E. Reid, Shubhayu Saba, June Spector, and Peter Berry</i>	293
Green Infrastructure and Health <i>Mark J. Nieuwenhuijsen</i>	317
Public Health Practice and Policy	
Climate Change Disinformation and How to Combat It <i>Stephan Lewandowsky</i>	1
Expanding Implementation Research to Prevent Chronic Diseases in Community Settings <i>Stephanie Mazzucca, Elva M. Arredondo, Deanna M. Hoelscher, Debra Haire-Joshu, Rachel G. Tabak, Shiriki K. Kumanyika, and Ross C. Brownson</i>	135
Addressing Social Needs in Health Care Settings: Evidence, Challenges, and Opportunities for Public Health <i>Matthew W. Kreuter, Tess Thompson, Amy McQueen, and Rachel Garg</i>	329
Benchmarking as a Public Health Strategy for Creating Healthy Food Environments: An Evaluation of the INFORMAS Initiative (2012–2020) <i>Gary Sacks, Janelle Kwon, Stefanie Vandevijvere, and Boyd Swinburn</i>	345
Cash Transfers and Health <i>Sicong Sun, Jin Huang, Darrell L. Hudson, and Michael Sherraden</i>	363
Declining Life Expectancy in the United States: Missing the Trees for the Forest <i>Sam Harper, Corinne A. Riddell, and Nicholas B. King</i>	381
Enhancing Community Engagement by Schools and Programs of Public Health in the United States <i>Mindi B. Levin, Janice V. Bowie, Steven K. Ragsdale, Amy L. Gawad, Lisa A. Cooper, and Joshua M. Sharfstein</i>	405
Progress in National Policies Supporting the Sustainable Development Goals: Policies that Matter to Income and Its Impact on Health <i>Amy Raub and Jody Heymann</i>	423
Sugar-Sweetened Beverage Reduction Policies: Progress and Promise <i>James Krieger, Sara N. Bleich, Stephanie Scarmo, and Shu Wen Ng</i>	439

Health Services

Extreme Weather and Climate Change: Population Health and Health System Implications <i>Kristie L. Ebi, Jennifer Vanos, Jane W. Baldwin, Jesse E. Bell, David M. Hondula, Nicole A. Errett, Katie Hayes, Colleen E. Reid, Shubbayu Saha, June Spector, and Peter Berry</i>	293
Addressing Social Needs in Health Care Settings: Evidence, Challenges, and Opportunities for Public Health <i>Matthew W. Kreuter, Tess Thompson, Amy McQueen, and Rachel Garg</i>	329
Improving Access to Care: Telemedicine Across Medical Domains <i>William Barbosa, Kina Zhou, Emma Waddell, Taylor Myers, and E. Ray Dorsey</i>	463
The Effects of Home Care Provider Mix on the Care Recipient: An International, Systematic Review of Articles from 2000 to 2020 <i>Norma B. Coe, R. Tamara Konetzka, Melissa Berkowitz, Emily Blecker, and Courtney H. Van Houtven</i>	483
Trends in Abortion Policies in Low- and Middle-Income Countries <i>Pascale Allotey, T.K. Sundari Ravindran, and Vitbiya Sathivelu</i>	505

Indexes

Cumulative Index of Contributing Authors, Volumes 33–42	519
Cumulative Index of Article Titles, Volumes 33–42	526

Errata

An online log of corrections to *Annual Review of Public Health* articles may be found at <http://www.annualreviews.org/errata/publhealth>